ELSEVIER

Analytica Chimica Acta 466 (2002) 353–355

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Alder, J.F., see Wilks, A.T. 57
Andersson, T.
—, Hartonen, K., Hyötyläinen, T. and Riekkola, M.-L.
Pressurised hot water extraction and thermal desorption of polycyclic aromatic hydrocarbons from sediment with use of a novel extraction vessel 93
Arévalo, F.F., see González, J.C. 233

Baker, J.G., see Wilks, A.T. 57
Bendicho, C., see Filgueiras, A.V. 303
Botana, L.M., see González, J.C. 233
Boucon, C., see Questier, F. 311
Bulatov, V.
—, Fisher, M. and Schechter, I.
Aerosol analysis by cavity-ring-down laser spectroscopy 1
Bermúdez-Puente, M., see González, J.C. 233
Buschmann, H.-J.
— and Mutihac, L.
Complexation, liquid–liquid extraction, and transport through a liquid membrane of protonated peptides using crown ethers 101
Bystol, A.J., see Escandar, G.M. 275

Cai, R., see Gan, N. 257
Campiglia, A.D., see Escandar, G.M. 275
Chen, Q.
—, Hou, X., Yu, Y., Dahlgaard, H. and Nielsen, S.P.
Separation of Sr from Ca, Ba and Ra by means of $Ca(OH)_2$ and $Ba(Ra)Cl_2$ or $Ba(Ra)SO_4$ for the determination of radiostrontium 109
Chen, X.
—, Yi, C., Li, M., Lu, X., Li, Z., Li, P. and Wang, X.
Determination of sophoridine and related lupin alkaloids using tris(2,2′-bipyridine)ruthenium electrogenerated chemiluminescence 79
Chow, C.-F.
—, Lam, M.H.W. and Leung, M.K.P.
Fluorescent sensing of homocysteine by molecular imprinting 17
Croot, P.L.
— and Laan, P.
Continuous shipboard determination of Fe(II) in polar waters using flow injection analysis with chemiluminescence detection 261
Curto, S.L., see Saitta, M. 335

Dahlgaard, H., see Chen, Q. 109
de Jong, S., see Questier, F. 311
Di Bella, G., see Saitta, M. 335
Dong, H., see Tong, A. 31
Dressler, V.L.
—, Pozebon, D., Flores, É.L.M., Paniz, J.N.G. and Flores, É.M.M.
Potentiometric determination of fluoride in geological and biological samples following pyrohydrolytic decomposition 117
Dugo, G., see Saitta, M. 335

Elkind, J., see Simonian, A.L. 201
Erkomaa, K., see Rapala, J. 213
Escandar, G.M.
—, Bystol, A.J. and Campiglia, A.D.
Spectrofluorimetric method for the determination of piroxicam and pyridoxine 275

Fan, M.K., see Huang, C.Z. 193
Filella, M., see Town, R.M. 285
Filgueiras, A.V.
—, Lavilla, I. and Bendicho, C.
Comparison of conventional and fast thermal programme approaches for determination of total and extractable Cd in sediments by electrothermal atomic absorption spectrometry following sequential extraction 303
Fisher, M., see Bulatov, V. 1
Flores, É.L.M., see Dressler, V.L. 117
Flores, É.M.M., see Dressler, V.L. 117
Fontal, O.I., see González, J.C. 233

Gan, N.
—, Cai, R. and Lin, Z.
Determination of ascorbic acid based on a peroxidase oscillator reaction 257
Gao, F., see Wang, L.-Y. 87
Gee, S.J., see Zurek, G. 247
González, J.C.
—, Leira, F., Fontal, O.I., Vieytes, M.R., Arévalo, F.F., Vieites, J.M., Bermúdez-Puente, M., Muñiz, S., Salgado, C., Yasumoto, T. and Botana, L.M.
Inter-laboratory validation of the fluorescent protein phosphatase inhibition assay to determine diarrhetic shellfish toxins: intercomparison with liquid chromatography and mouse bioassay 233

PII: S0003-2670(02)00759-6

Halko, R.
— and Hutta, M.
Study of high-performance liquid chromatographic separation of selected herbicides by hydro-methanolic and micellar liquid chromatography using Genapol X-080 non-ionic surfactant as mobile phase constituent 325
Hamlaoui, M.L.
—, Reybier, K., Marrakchi, M., Jaffrezic-Renault, N., Martelet, C., Kherrat, R. and Walcarius, A.
Development of a urea biosensor based on a polymeric membrane including zeolite 39
Hammock, B.D., see Zurek, G. 247
Hartonen, K., see Andersson, T. 93
Hassan, S.S.M.
—, Marzouk, S.A.M. and Sayour, H.E.M.
Methylene blue potentiometric sensor for selective determination of sulfide ions 47
Hirayama, N.
—, Taga, J., Oshima, S. and Honjo, T.
Sulfonamide-type di-Schiff base ligands as chelate extraction reagents for divalent metal cations 295
Honjo, T., see Hirayama, N. 295
Hou, X., see Chen, Q. 109
Huang, C.-Y.
—, Lee, N.-Ming, Lin, S.-Y. and Liu, C.-Y.
Determination of vanadium, molybdenum and tungsten in complex matrix samples by chelation ion chromatography and on-line detection with inductively coupled plasma mass spectrometry 161
Huang, C.Z.
—, Fan, M.K. and Li, Y.F.
Fluorescence microscopic quantification of DNA with α,β,γ,δ-tetrakis[4-(trimethylammonium)phenyl]porphine by a ring-like deposition technique 193
Huang, X., see Pan, Z. 141
Hutta, M., see Halko, R. 325
Hyötyläinen, T., see Andersson, T. 93

Jaffrezic-Renault, N., see Hamlaoui, M.L. 39

Kherrat, R., see Hamlaoui, M.L. 39
Kukkonen, J., see Rapala, J. 213

Laan, P., see Croot, P.L. 261
Lahti, K., see Rapala, J. 213
Lam, M.H.W., see Chow, C.-F. 17
Lapa, R.A.S.
—, Lima, J.L.F.C., Reis, B.F., Santos, J.L.M. and Zagatto, E.A.G.
Multi-pumping in flow analysis: concepts, instrumentation, potentialities 125
Lavilla, I., see Filgueiras, A.V. 303
Lee, N.-Ming, see Huang, C.-Y. 161
Leira, F., see González, J.C. 233
Leung, M.K.P., see Chow, C.-F. 17
Li, J., see Shi, J. 69
Li, L., see Tong, A. 31
Li, M., see Chen, X. 79
Li, P., see Chen, X. 79
Li, Y.F., see Huang, C.Z. 193
Li, Y.-X., see Wang, L.-Y. 87
Li, Z., see Chen, X. 79
Lima, J.L.F.C., see Lapa, R.A.S. 125
Lin, S.-Y., see Huang, C.-Y. 161
Lin, Z., see Gan, N. 257
Liu, C.-Y., see Huang, C.-Y. 161
Lu, X., see Chen, X. 79

Marrakchi, M., see Hamlaoui, M.L. 39
Martelet, C., see Hamlaoui, M.L. 39
Marzouk, S.A.M., see Hassan, S.S.M. 47
Masini, J.C., see Silva, M.S.P. 345
Massart, D.L., see Questier, F. 311
Matsui, J.
—, Tamaki, K. and Sugimoto, N.
Molecular imprinting in alcohols: utility of a pre-polymer based strategy for synthesizing stereoselective artificial receptor polymers in hydrophilic media 11
Mo, W., see Pan, Z. 141
Mobley, J., see Song, J.M. 187
Muñiz, S., see González, J.C. 233
Mutihac, L., see Buschmann, H.-J. 101

Nielsen, S.P., see Chen, Q. 109

Oshima, S., see Hirayama, N. 295
Özkan, S.A., see Uslu, B. 175

Padarauskas, A., see Paliulionyte, V. 133
Paliulionyte, V.
— and Padarauskas, A.
Single-run capillary electrophoretic speciation of iodide and iodine 133
Pan, Z.
—, Zou, H., Mo, W., Huang, X. and Wu, R.
Protein A immobilized monolithic capillary column for affinity chromatography 141
Paniz, J.N.G., see Dressler, V.L. 117
Pishko, M.V., see Simonian, A.L. 201
Pozebon, D., see Dressler, V.L. 117

Questier, F.
—, Walczak, B., Massart, D.L., Boucon, C. and de Jong, S.
Feature selection for hierarchical clustering 311

Rapala, J.
—, Erkomaa, K., Kukkonen, J., Sivonen, K. and Lahti, K.
Detection of microcystins with protein phosphatase inhibition assay, high-performance liquid chromatography–UV detection and enzyme-linked immunosorbent assay. Comparison of methods 213
Reis, B.F., see Lapa, R.A.S. 125
Revzin, A., see Simonian, A.L. 201
Reybier, K., see Hamlaoui, M.L. 39

Riekkola, M.-L., see Andersson, T. 93

Saitta, M.
—, Curto, S.L., Salvo, F., Di Bella, G. and Dugo, G.
Gas chromatographic–tandem mass spectrometric identification of phenolic compounds in Sicilian olive oils 335
Salgado, C., see González, J.C. 233
Salvo, F., see Saitta, M. 335
Santos, J.L.M., see Lapa, R.A.S. 125
Sayour, H.E.M., see Hassan, S.S.M. 47
Schechter, I., see Bulatov, V. 1
Shi, J.
—, Li, J., Zhu, Y., Wei, F. and Zhang, X.
Nanosized $SrCO_3$-based chemiluminescence sensor for ethanol 69
Silva, M.S.P.
— and Masini, J.C.
Exploiting monosegmented flow analysis to perform in-line standard additions using a single stock standard solution in spectrophotometric sequential injection procedures 345
Simonian, A.L.
—, Revzin, A., Wild, J.R., Elkind, J. and Pishko, M.V.
Characterization of oxidoreductase–redox polymer electrostatic film assembly on gold by surface plasmon resonance spectroscopy and Fourier transform infrared–external reflection spectroscopy 201
Sivonen, K., see Rapala, J. 213
Song, J.M.
—, Mobley, J. and Vo-Dinh, T.
Integrated circuit microchip system with multiplex capillary electrophoresis module for DNA analysis 187
Staniewski, J., see Urbanczyk, A. 151
Sugimoto, N., see Matsui, J. 11
Szymanowski, J., see Urbanczyk, A. 151

Taga, J., see Hirayama, N. 295
Tamaki, K., see Matsui, J. 11
Thompson, M., see Wilks, A.T. 57
Tong, A.
—, Dong, H. and Li, L.
Molecular imprinting-based fluorescent chemosensor for histamine using zinc(II)–protoporphyrin as a functional monomer 31
Town, R.M.
— and Filella, M.
Crucial role of the detection window in metal ion speciation analysis in aquatic systems: the interplay of thermodynamic and kinetic factors as exemplified by nickel and cobalt 285

Urbanczyk, A.
—, Staniewski, J. and Szymanowski, J.
Abraham model in gas chromatography of phenol pollutants 151
Uslu, B.
— and Özkan, S.A.
Determination of lamivudine and zidovudine in binary mixtures using first derivative spectrophotometric, first derivative of the ratio-spectra and high-performance liquid chromatography–UV methods 175

Vieites, J.M., see González, J.C. 233
Vieytes, M.R., see González, J.C. 233
Vo-Dinh, T., see Song, J.M. 187

Walcarius, A., see Hamlaoui, M.L. 39
Walczak, B., see Questier, F. 311
Wang, L., see Wang, L.-Y. 87
Wang, L.-Y.
—, Zhou, Y.-Y., Wang, L., Zhu, C.-Q., Li, Y.-X. and Gao, F.
Synchronous fluorescence determination of protein with functionalized CdS nanoparticles as a fluorescence probe 87
Wang, X., see Chen, X. 79
Wei, F., see Shi, J. 69
Wild, J.R., see Simonian, A.L. 201
Wilks, A.T.
—, Baker, J.G., Alder, J.F. and Thompson, M.
Quantitative millimetre wavelength spectrometry at pressures approaching atmospheric. Part I. Absolute determination of transition line strengths and sample concentrations with a confocal Fabry–Perot cavity spectrometer 57
Wu, R., see Pan, Z. 141

Yasumoto, T., see González, J.C. 233
Yi, C., see Chen, X. 79
Yu, Y., see Chen, Q. 109

Zagatto, E.A.G., see Lapa, R.A.S. 125
Zhang, X., see Shi, J. 69
Zhou, Y.-Y., see Wang, L.-Y. 87
Zhu, C.-Q., see Wang, L.-Y. 87
Zhu, Y., see Shi, J. 69
Zou, H., see Pan, Z. 141
Zurek, G.
—, Gee, S.J. and Hammock, B.D.
Development of an enzyme immunoassay for linoleic acid diols in urine 247